

High Density Fiber Optic Patch Panel

ODF Series



- **19 inch rack mounted application**
- **Compatible with MPO/MTP cassette modules**
- **High-strength cold-rolled steel construction**
- **Smooth sliding drawer design for easy installation, maintenance, and fiber access**
- **Front and rear metal doors**

Ascent's AOP-ODF-MS-2U High Density Fiber Optic Patch Panel is a modular optical distribution frame designed for high-density fiber management in data centers, central offices, enterprise networks, and FTTx applications. Featuring a standard 2U 19-inch rack-mount design, the panel provides a compact, flexible, and scalable platform for fiber termination, cross-connection, and distribution while maximizing rack space utilization. It supports up to 8 MPO cassette modules, enabling a maximum capacity of 192 fiber connections within a single rack unit.


Manufactured from high-strength cold-rolled steel with a durable electrostatic powder-coated finish, the patch panel delivers excellent mechanical strength and corrosion resistance for long-term operation in demanding telecommunications environments. The smooth sliding drawer design provides convenient front access for installation and maintenance, while adjustable mounting brackets, integrated cable fixing kits, and front cable management rings ensure efficient cable routing and protection.

Designed for modern high-density optical networks, the AOP-ODF-MS-2U offers a reliable and cost-effective solution for structured fiber cabling, MPO migration, and high-capacity optical distribution. Its modular architecture simplifies future network expansion and supports rapid deployment in data centers, carrier networks, enterprise campuses, and broadband access infrastructures.


Key Features

- Standard 2U, 19-inch rack-mount design for high-density fiber management
- Supports up to 8 modular MPO cassette modules with a maximum capacity of 192 fiber connections
- Compatible with MPO/MTP cassette modules for flexible fiber deployment
- High-strength cold-rolled steel construction with durable electrostatic powder-coated finish
- Smooth sliding drawer design for easy installation, maintenance, and fiber access
- Integrated cable fixing kit and front cable management rings for organized cable routing
- Front and rear metal doors provide enhanced fiber protection and accessibility
- Ideal for data centers, enterprise networks, telecommunications, and FTTx applications

Outline Diagram



Using Illustration



Item	Description
1	MPO/MTP Patch Cord
2	Cable Fixing Kit
3	MPO Cassette AOP-ODF-MS-MPOX-LCXX-XX-XXX
4	Cable Management Rings
5	Fiber Optic Patch Cord

Accessories

Item	Name	Characteristics	Qty
1	Mounting hanger	75*19.8*87.5mm	2pcs
2	Round head screw with washer	M4*6/metal/Bright chrome	8pcs
3	Countersunk head screw	M4*8/metal/Bright chrome	8pcs
4	Plastic cable management rings	ODF-PRS-1U/ABS/Black	4pcs
5	Nylon cable tie	3mm*120mm/white	10pcs

Ordering Information

Product Name	Product Description
AOP-ODF-MS-2U	AOP-ODF Module Shelf, 2U, Max capacity: 8 pcs Modular

Contact Information



Ascent Communication Technology Ltd

AUSTRALIA

140 William Street, Melbourne
Victoria 3000, AUSTRALIA
Phone: +61-3-8691 2902

Hong Kong SAR

Room 1210, 12th Floor, Wing Tuck Commercial Centre
181 Wing Lok Street, Sheung Wan , Hong Kong SAR
Phone: +852-2851 4722

CHINA

Unit 1933, 600 Luban Road
200023, Shanghai, CHINA
Phone: +86-21-60232616

USA

2710 Thomes Ave
Cheyenne, WY 82001, USA
Phone: +1 203 350 9822

EUROPE

Pfarrer-Bensheimer-Strasse 7a
55129 Mainz, GERMANY
Phone: +49 (0) 6136 926 3246

VIETNAM

11th Floor, Hoa Binh Office Tower
106 Hoang Quoc Viet Street, Nghia Do Ward
Cau Giay District, Hanoi 10649, VIETNAM
Phone: +84-24-37955917

WEB: www.ascentcomtec.com

EMAIL: sales@ascentcomtec.com

Specifications and product availability are subject to change without notice.
Copyright © 2026 Ascent Communication Technology Limited. All rights reserved.
Ver. ACT_AOP-ODF-MS-2U_Datasheet_V1b_Jul_2025